



GL804C

Corded Cotton | Fleece | Spandex | TPR

ANSI/ISEA 105-2016 – CUT A2 | PUNCTURE 4 | ABRASION 3
 ANSI/ISEA 138-2019 – IMPACT 1
 EN388: 2016 – 1322BP
 EN511: 2006 – 111

Green corded cotton palm // Polyester inner liner //
 Contact cold protection // Hook and loop closure // TPR //
 Water-resistant bladder // Thumb saddle // Hi-vis

GL804C S – 2XL

Suggested Applications

Oil Rigging // Mechanical // Mining // Framing //
 Automotive // Electrical

Glove Breakdown

Type: Insulated Corded Glove
Material: Corded Cotton + Spandex
Liner: Polyester Fleece + Polyurethane Bladder
Cuff: Hook & Loop + Neoprene
TPR: Thermo Plastic Rubber



i Product markings may vary. Refer to the product sheet for the most current test report results.

Testing Performance

EN388: 2016 – 1322BP

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

EN511: 2006 – 111

Convective Cold	1	2	3	4	X
Contact Cold	1	2	3	4	X
Water Penetration	0	1	X		

ANSI/ISEA 105-2016

Cut	1	2	3	4	5	6	7	8	9
Abrasion	1	2	3	4	5	6			
Puncture	1	2	3	4	5				

ANSI/ISEA 138-2019

Impact	1	2	3
--------	---	---	---

Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN 420:2003 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Sold Individually
Pack: 6 pair
Case: 72 pair
Country of Origin: Indonesia